



PRODUCT SHEET


Hashira Collection

by Norm Architects

### Hashira Pendant

BY NORM ARCHITECT

Translucent, cylindrical fabric shade with metal frame, textile cord and dimmer switch.





### TECHNICAL SPECIFICATIONS PRODUCT TYPE WEIGHT Ø18: 1,15 kg / 2,54 lb Pendant Ø30: 2,00 kg / 4,41 lb COLLI VOLTAGE CE: 220-230 V US: 110-130 V ENVIRONMENT LIGHT SOURCE E27 (CE) - 1 pc / Small, 2 pcs / Large DIMENSIONS E26 (US) - 1 pc / Small, 2 pcs / Large 018 Max 40 Watt H: 60 cm / 23,6" Ø: 18 cm / 7,1" LIGHT SPECIFICATION 030 Bulbs not included H: 90 cm / 35,4" Ø: 30 cm / 11,8" DIMMER No. The lamp can be connected to a dimmer system PRODUCTION PROCESS Welded steel frame with a hand-made shade. CANOPY Yes, ABS, black COLOURS Ø: 11,5 cm / 4,5" White, bronzed brass H: 3,8 cm / 1,5" Raw, bronzed brass CORD MATERIAL AND COLOUR MATERIALS Textile, black, with safe wire (only the large pendant). Steel, linen, PS plastic. Thickness of line may vary giving a slightly different light. 030

Ø: 18 cm / 7,1"

CORD LENGTH

CLASSIFICATION

CERTIFICATIONS

PACKAGING TYPE

37 cm x 37cm x 80 cm

14,6" x 14,6" x 31,5"

Ø18: Gift box

Ø30

Ø30: Brown box

CE and ETL certified, tests can be obtained upon

PACKAGING MEASUREMENTS (H x W x D)

Please visit menuspace.com for materials, care

24 cm x 24 cm x 50 cm / 9,4" x 9,4" x 19,7"

MATERIALS & MAINTENANCE

and maintenance instructions.

500 cm / 197"

IP20, Class II

MENU — PRODUCT SHEET 2 MENU — PRODUCT SHEET

# Hashira Pendant, Cluster BY NORM ARCHITECTS

Translucent, cylindrical fabric shade with metal frame, textile cord and dimmer switch.





# BY NORM ARCHITECTS

W: 37 cm / 14,6"

TECHNICAL SPECIFICATIONS		
PRODUCT TYPE lendant	<b>WEIGHT</b> Ø32: 3,13 kg / 6,90 lb  Ø60: 5,85 kg / 12,90 lb	CORD LENGTH 500 cm / 197"
OLLI	<b>VOLTAGE</b> CE: 220-230 V	CLASSIFICATION IP20, Class II
NVIRONMENT door	US: 110-130 V  LIGHT SOURCE	CERTIFICATIONS  CE and ETL certified, tests can be obtained upon request.
IMENSIONS	E27 (CE) - 3 pcs / Small, 6 pcs / Large E26 (US) - 3 pcs / Small, 6 pcs / Large  Max 40 Watt	PACKAGING TYPE Brown box
60 cm / 23,6" : 37 cm / 14,6"	LIGHT SPECIFICATION Bulbs not included	PACKAGING MEASUREMENTS (H x W x D)
90 cm / 35,4" : 61,5 cm / 24,2"	DIMMER  No. The lamp can be connected to a dimmer system	<b>032</b> 43,5 cm x 43,5 cm x 49 cm / 9,4" x 9,4" x 19,3" <b>060</b>
RODUCTION PROCESS elded steel frame with a hand-made shade.	CANOPY	67,5 cm x 67,5 cm x 78 cm / 26,6" x 26,6" x 30,7"
OLOUR hite, bronzed brass aw, bronzed brass	Yes, ABS, black Ø: 11,5 cm / 4,5" H: 3,8 cm / 1,5"	MATERIALS & MAINTENANCE Please visit menuspace.com for materials, care and maintenance instructions.
ATERIALS  ieel, linen, PS plastic.  hickness of line may vary giving a slightly  ifferent light.	CORD MATERIAL AND COLOUR Textile, black, with safe wire.	
LUSTER, Ø32	CLUSTER, Ø60	
:40 cm / 15,7"	Ø: 65 cm / 25,5"	Ø: 30cm / 11,8°
I		
		0 cm / 35,4"

W: 61,5 cm / 24,2"

MENU — PRODUCT SHEET


4 MENU — PRODUCT SHEET

SELECTION

### SELECTION


## Hashira Table Lamp By NORM ARCHITECTS

Translucent, cylindrical fabric shade with metal frame, textile cord and dimmer switch.



## Hashira Table Lamp By NORM ARCHITECTS

TECHNICAL SPECIFICATIONS		
PRODUCT TYPE Table lamp	WEIGHT 1,48 kg / 3,26 lb	CORD MATERIAL AND COLOUR Textile, black, plug, black.
COLLI	VOLTAGE CE: 220-230 V US: 110-130 V	CORD LENGTH 200 cm / 78,7"
ENVIRONMENT ndoor	LIGHT SOURCE & ENERGY EFFICIENCY CLASS	CLASSIFICATION IP20, Class II
DIMENSIONS H: 49,5 cm / 19,5" D: 18 cm / 7,1"	E27 (CE) - 1 pc E26 (US) - 1 pc Max 40 Watt	CERTIFICATIONS  CE and ETL certified, tests can be obtained upon request.
PRODUCTION PROCESS Welded steel frame with a hand-made shade and andblasted wood base.	LIGHT SPECIFICATION Bulbs not included.	PACKAGING TYPE Gift box
COLOUR White, ash	DIMMER Yes, on cord.	PACKAGING MEASUREMENTS (H x W x E 53,5 cm x 24 cm x 24 cm / 21,1" x 9,4" x 9,4"
MATERIALS  Iteel, linen, PS plastic, ash.  Thickness of line may vary giving a slightly different light.	CANOPY N/A	MATERIALS & MAINTENANCE Please visit menuspace.com for materials, car and maintenance instructions.



MENU - PRODUCT SHEET MENU — PRODUCT SHEET




## Hashira Wall Lamp, EU BY NORM ARCHITECTS

Taking its design cues from traditional Japanese lanterns, the Hashira Wall Lamp has a translucent textile shade that softly diffuses the light. Conceived for MENU by Norm Architects, it looks equally elegant mounted alone as it does in pairs above a bed or sofa.





TECHNICAL SPECIFICATIONS		
PRODUCT TYPE Wall lamp	WEIGHT N/A	CANOPY N/A
	,	
COLLI	VOLTAGE	CORD MATERIAL AND COLOUR
2	CE: 220-230 V US: 110-130 V	PVC cord with matte rubber coating, black, pluç black.
	33. 110 130 V	Sider.
ENVIRONMENT Indoor	LIGHT SOURCE	CORD LENGTH
	Replaceable LED	200 cm / 78,7"
DIMENSIONS	4 W	
H: 30 cm / 11,81"		CLASSIFICATION
W: 12,7 cm / 5"	LIGHT SPECIFICATION	IP20, Class II
D: 11,6 cm / 4,57" D: 10 cm / 3,94"	4 W 380 lm	
5. 10 CH 7 3,74	2700K	CERTIFICATIONS
	Ra > 80	CE and ETL certified, tests can be obtained upo
PRODUCTION PROCESS	Energy class: G	request.
aser cut and welded steel frame with a hand-made		
hade.	DIMMER	DACKACING TYPE
	DIMMER N/A	PACKAGING TYPE Gift box
COLOUR	117.71	diff box
Raw, stained oak		
White, stained oak		PACKAGING MEASUREMENTS (H x W x D
Black (RAL 9005)		N / A
MATERIALS		MATERIALS & MAINTENANCE
Powder coated steel, linen, PS plastic		Please visit menuspace.com for materials, care
		and maintenance instructions.



MENU - PRODUCT SHEET MENU — PRODUCT SHEET

Black (RAL 9005)

Powder coated steel, linen, PS plastic

MATERIALS



### Hashira Wall Lamp, US

BY NORM ARCHITECT

Taking its design cues from traditional Japanese lanterns, the Hashira Wall Lamp has a translucent textile shade that softly diffuses the light. Conceived for MENU by Norm Architects, it looks equally elegant mounted alone as it does in pairs above a bed or sofa.






### TECHNICAL SPECIFICATIONS PRODUCT TYPE WEIGHT CANOPY N/A N/A Wall lamp COLLI VOLTAGE CORD MATERIAL AND COLOUR CE: 220-230 V PVC cord with matte rubber coating, black, plug, ENVIRONMENT LIGHT SOURCE CORD LENGTH DIMENSIONS CLASSIFICATION H: 30 cm / 11,81" W: 12,7 cm / 5" LIGHT SPECIFICATION IP20, Class II D: 11,6 cm / 4,57" Ø: 10 cm / 3,94" 380 lm CERTIFICATIONS 2700K Ra > 80 CE and ETL certified, tests can be obtained upon PRODUCTION PROCESS Energy class: G Laser cut and welded steel frame with a hand-made shade. PACKAGING TYPE DIMMER N/A Gift box COLOUR Raw, stained oak PACKAGING MEASUREMENTS (H x W x D) White, stained oak

Please visit menuspace.com for materials, care and maintenance instructions.

MATERIALS & MAINTENANCE

N/A



SELECTION

MATERIALS

different light.

Steel, linen, PS plastic, ash

Thickness of line may vary giving a slightly

## Hashira Floor Lamp

BY NORM ARCHITECTS

Translucent, cylindrical fabric shade with metal frame, textile cord and dimmer switch.




## Hashira Floor Lamp BY NORM ARCHITECTS

TECHNICAL SPECIFICATIONS PRODUCT TYPE WEIGHT Floor lamp 6,51 kg / 14,35 lb COLLI VOLTAGE CE: 220-230 V US: 110-130 V ENVIRONMENT LIGHT SOURCE & ENERGY EFFICIENCY CLASS E27 (CE) - 2 pcs DIMENSIONS E26 (US) - 2 pcs H: 83 cm / 32,7" Ø: 30 cm / 11,8" Max 40 Watt PRODUCTION PROCESS LIGHT SPECIFICATION Welded steel frame with a hand-made shade and Bulbs not included. sandblasted wood base. DIMMER COLOUR Yes, on cord. White, ash Raw, stained oak

CANOPY N/A CORD MATERIAL AND COLOUR Textile, black, plug, black. CORD LENGTH 300 cm / 118" CLASSIFICATION IP20, Class II CERTIFICATIONS CE and ETL certified, tests can be obtained upon PACKAGING TYPE Brown box PACKAGING MEASUREMENTS (H x W x D) 37 cm x 37 cm x 88 cm / 14,6" x 14,6" x 34,6" MATERIALS & MAINTENANCE Please visit menuspace.com for materials, care

and maintenance instructions.






### Hashira Floor Lamp, High

BY NORM ARCHITECTS

Set on an elegant powder-coated steel foot for an elevated and airy expression, the Japanese-inspired Hashira High Floor Lamp by Norm Architects illuminates spaces with soft light, elegantly diffused through its tactile fabric shade.





	DUCT TYPE
COL 1	LI
ENV Indo	IRONMENT or
H: 13	ENSIONS 0 cm / 51,1" 0 cm / 11,8"
	DUCTION PROCESS r cut and welded steel frame with a hand-made le.
Raw Whit	OUR stained oak e, stained oak k (RAL 9005)
	ERIALS der coated steel, linen, PS plastic.

VOLTAGE CANOPY CE: 220-230 V N/A US: 110-130 V CORD MATERIAL AND COLOUR LIGHT SOURCE &
ENERGY EFFICIENCY CLASS Textile, black, plug, black. E27 (CE) - 2 pcs E26 (US) - 2 pcs CORD LENGTH 220 cm / 86" CLASSIFICATION LIGHT SPECIFICATION IP20, Class II CERTIFICATIONS DIMMER CE and ETL certified, tests can be obtained upon PACKAGING TYPE PACKAGING MEASUREMENTS (H x W x D) MATERIALS & MAINTENANCE Please visit menuspace.com for materials, care and maintenance instructions.

