



PRODUCT SHEET

Hashira Floor Lamp

by Norm Architects

SELECTION

MATERIALS

different light.

Steel, linen, PS plastic, ash

Thickness of line may vary giving a slightly

Hashira Floor Lamp


BY NORM ARCHITECTS

Translucent, cylindrical fabric shade with metal frame, textile cord and dimmer switch.



Hashira Floor Lamp BY NORM ARCHITECTS

TECHNICAL SPECIFICATIONS PRODUCT TYPE WEIGHT Floor lamp 6,51 kg / 14,35 lb COLLI VOLTAGE CE: 220-230 V US: 110-130 V ENVIRONMENT LIGHT SOURCE & ENERGY EFFICIENCY CLASS E27 (CE) - 2 pcs DIMENSIONS E26 (US) - 2 pcs H: 83 cm / 32,7" Ø: 30 cm / 11,8" Max 40 Watt PRODUCTION PROCESS LIGHT SPECIFICATION Welded steel frame with a hand-made shade and Bulbs not included. sandblasted wood base. DIMMER COLOUR Yes, on cord. White, ash Raw, stained oak



CANOPY

CORD MATERIAL AND COLOUR

CE and ETL certified, tests can be obtained upon

PACKAGING MEASUREMENTS (H x W x D) 37 cm x 37 cm x 88 cm / 14,6" x 14,6" x 34,6"

Please visit menuspace.com for materials, care

MATERIALS & MAINTENANCE

and maintenance instructions.

Textile, black, plug, black.

CORD LENGTH

CLASSIFICATION

CERTIFICATIONS

PACKAGING TYPE

Brown box

300 cm / 118"

IP20, Class II

N/A

MENU — PRODUCT SHEET MENU — PRODUCT SHEET



Hashira Floor Lamp, High

BY NORM ARCHITECTS

Set on an elegant powder-coated steel foot for an elevated and airy expression, the Japanese-inspired Hashira High Floor Lamp by Norm Architects illuminates spaces with soft light, elegantly diffused through its tactile fabric shade.





Hashira Floor Lamp, High

BY NORM ARCHITECTS

TECHNICAL SPECIFICATIONS	
PRODUCT TYPE	 WEIGHT
Floor lamp	N/A
COLLI	VOLTAGE
1	CE: 220-230 V
	US: 110-130 V
ENVIRONMENT	
Indoor	LIGHT SOURCE &
	ENERGY EFFICIENCY CLASS
	E27 (CE) - 2 pcs
DIMENSIONS	E26 (US) - 2 pcs
H: 130 cm / 51,1"	
Ø: 30 cm / 11,8"	Max 40 Watt

PRODUCTION PROCESS
Laser cut and welded steel frame with a hand-made shade.

LIGHT SP
Bulbs not it

COLOUR Raw, stained oak White, stained oak Black (RAL 9005)

MATERIALS
Powder coated steel, linen, PS plastic.

WEIGHT
N/A

VOLTAGE
CE: 220-230 V
US: 110-130 V

CORD LENGTH
LIGHT SOURCE & 220 cm / 86"

ENERGY EFFICIENCY CLASS
E27 (CE) - 2 pcs
E26 (US) - 2 pcs
CLASSIFICATION
IP20, Class II

CERTIFICATIONS
CE and ETL certified, tests can be obtained upon request.

DIMMER
N/A

PACKAGING TYPE
Brown box


MATERIALS & MAINTENANCE

Please visit menuspace.com for materials, care

and maintenance instructions.



Ø: 30 cm / 11,81"



MENU — PRODUCT SHEET

4 MENU — PRODUCT SHEET