

SPIGOLO FLOOR

Studiocharlie

Designed to provide 360° directional lighting, the Spigolo collection features LED light sources housed within an extruded aluminium and tubular structure, connected by moulded polymer joints, which allow the profiles to rotate to produce direct or indirect lighting, shielded by a polycarbonate opal diffuser. The floor version is designed to provide a virtual room divider, while the ceiling and wall versions provide versatile and comfortable ambient lighting.



2700K

LAMPING

| | |
|-------------------|---|
| Source | 3xlinear LED |
| Total power | 6+10+33W |
| Emission | diffused |
| Switching | mono switch, dimmable on cable |
| Tension | 110-240V |
| Color temperature | 2700K |
| Luminous flux | 335lm+600lm+1765lm |
| Typ CRI | 85 |
| IP class | 20 |
| Materials | aluminium + PC + ABS |
| Notes | orientable diffusers, cable length 4,5m |
| Net lamp weight | 10 kg |

Codes

SPI LW2 23
SPI LN2 23


Structure

white
black

PACKAGE

Package 01 Dimension: 57x78x16 cm / Gross weight: 6,5 kg
Package 02 Dimension: 18 x22x190 cm / Gross weight: 7 kg

Certificazioni



3000K

LAMPING

| | |
|-------------------|---|
| Source | 3xlinear LED |
| Total power | 6+10+33W |
| Emission | diffused |
| Switching | mono switch, dimmable on cable |
| Tension | 110-240V |
| Color temperature | 3000K |
| Luminous flux | 335lm+600lm+1765lm |
| Typ CRI | 85 |
| IP class | 20 |
| Materials | aluminium + PC + ABS |
| Notes | orientable diffusers, cable length 4,5m |
| Net lamp weight | 10 kg |

Codes

SPI LWW 23
SPI LNN 23

Structure

white
black

PACKAGE

Package 01 Dimension: 57x78x16 cm / Gross weight: 6,5 kg
Package 02 Dimension: 18 x22x190 cm / Gross weight: 7 kg

Certificazioni

